#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization International Bureau





# (43) International Publication Date 27 December 2002 (27.12.2002)

#### **PCT**

# (10) International Publication Number WO 02/102957 A1

(51) International Patent Classification<sup>7</sup>: C11D 17/04, 11/00

(21) International Application Number: PCT/GB02/02613

(22) International Filing Date: 10 June 2002 (10.06.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0114572.1

15 June 2001 (15.06.2001) GB

(71) Applicant (for all designated States except US):

RECKITT BENCKISER (UK) LIMITED [GB/GB];
103-105 Bath Road, Slough, Berkshire SL1 3UH (GB).

(72) Inventor; and


(75) Inventor/Applicant (for US only): JONES, Stuart,

**Michael, Ruan** [GB/GB]; Reckitt Benckiser Corporate Services Limited, Dansom Lane, Hull HU8 7DS (GB).

- (74) Agents: DICKSON, Elizabeth, Anne et al.; Reckitt Benckiser plc, Group Patents Dept., Dansom Lane, Hull HU8 7DS (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent


[Continued on next page]

(54) Title: A METHOD FOR THE TREATMENT OF TEXTILE SURFACES AND PRODUCTS FOR USE THEREIN



(57) Abstract: The present invention relates to a method for the treatment of a textile and to products for use therein, wherein the products comprise a polymer retaining a textile treatment agent, optionally having a liquid impervious backing attached to the polymer, and, optionally, a liquid impervious external wrapping encasing substantially all of the patch, preferably encasing the entire patch.





# WO 02/102957 A1



(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### **Declarations under Rule 4.17:**

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- of inventorship (Rule 4.17(iv)) for US only

#### Published:

— with international search report

 before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

# A METHOD FOR THE TREATMENT OF TEXTILE SURFACES AND PRODUCTS FOR USE THEREIN

The present invention relates to a method for the treatment of a textile and to products for use therein, wherein the products comprise a polymer retaining a textile treatment agent, optionally having a liquid impervious backing attached to the polymer, and, optionally, a liquid impervious external wrapping encasing substantially all of the patch, preferably encasing the entire patch.

It is well known to treat textiles such as carpets, mats, upholstery, fabrics and wall-coverings in various ways, for example to impart a fragrance thereto, to condition them such as by the use of antistatic agents or to cleanse them such as by the use of powder or liquid detergent compositions.

15

30

20 Typically, some water and a machine is used to complete the washing task. However, for the treatment of spot stains it is not necessary to clean the whole textile, cleaning just the area of the textile stained would be more convenient. It would also be convenient to deal with such a stain immediately.

Therefore, we have devised a convenient stain removing patch which, in its preferred embodiment, comprises a polymer applied to a backing which polymer retains a textile treatment agent which is released after the patch is applied to the textile. In use the patch is applied to the textile and release of a textile treatment

2 -

agent occurs through surface action at the interface between the polymer and textile (such as by wicking, capillary action or diffusion). Alternatively release of the textile treatment agent can be by applying a force to the patch. Depending on the polymer used the agent and/or the stain may be absorbed, after pressure is released, back into the polymer. In one embodiment the patch is then removed, preferably by peeling.

In an alternative embodiment the patch is left remaining on the textile and is removed by a washing process, such as in a textile washing machine.

Preferably the patch is made from a water-soluble or dispersible polymer which dissolves or disperses into a wash liquor.

A feature of the invention is a patch comprising a polymer retaining a textile treatment agent; optionally, a liquid impervious backing attached to the polymer; and, optionally, a liquid impervious external wrapping encasing substantially all of the patch, preferably encasing the entire patch.

20

Accordingly, the present invention also provides a

25 method for the treatment of a textile which comprises the
step of applying to the textile a patch as defined
herein.

Additional, and optional, method steps include the 30 following;

3 -

- applying force to the patch to deform the polymer and release the textile treatment agent;
- ii) removing the force from the patch to allow the polymer to absorb the agent and/or stain;
- iii) immersing the textile into a wash liquid into which the patch will dissolve or disperse;
- iv) removing the patch from the textile.

The textile treatment agent may act in at least one or more of the following ways:- cleansing the textile surface, in which case a suitable cleansing fluid is used; insect-proofing, in which case an insecticidal fluid is used; fragrancing, in which case a perfumed fluid is used; a biocidal or biostatic treatment in which case an antibiotic fluid is used; residual treatment, for example with an antistatic fluid or any of the above fluids so as to achieve a residual or protracted effect.

20 Preferably the textile treatment agent is within a fluid, (either dissolved or suspended) in the form of a composition which may include one or more of the following; a bleach (with or without a bleach activator), an enzyme system (including any necessary stabilisers)
25 and at least one surfactant.

# Bleach

5

Peroxygen bleaching agents are preferred. Suitable peroxygen bleaching compounds include sodium carbonate peroxyhdryate and equivalent "percarbonate" bleaches, sodium pyrophosphate peroxyhydrate, urea peroxyhydrate,

4 -

and sodium peroxide. Persulfate bleach (e.g., OXONE, manufactured commercially by DuPont) can also be used.

Peroxygen bleaching agents, the perborates, the percarbonates, etc., are preferably combined with bleach activators, which lead to the in situ production in aqueous solution (i.e., during the washing process) of the peroxy acid corresponding to the bleach activator. Various nonlimiting examples of activators are disclosed in US Patent 4,915,854, issued April 10, 1990 to Mao et al, and US Patent 4,412,934. The nonanoyloxybenzene sulfonate (NOBS) and tetraacetyl ethylene diamine (TAED) activators are typical and are preferred, and mixtures thereof can also be used. See also US 4,634,551 for other typical bleaches and activators useful herein.

Ideally from 0.1 to 20% by weight of the composition is a bleach, with or without a bleach activator.

#### 20 Enzymes

10

15

25

30

Enzymes can be included in the formulations herein for a wide variety of fabric laundering purposes, including removal of protein-based, carbohydrate-based, or triglyceride-based stains, for example, and for the prevention of dye transfer, and for fabric restoration. The enzymes to be incorporated include proteases, amylases, lipases, cellulases, and peroxides, as well as mixtures thereof. Other types of enzymes may also be included. They may be of any suitable origin, such as vegetable, animal, bacterial, fungal and yeast origin. However, their choice is governed by several factors such

5 -

as pH-activity and/or stability optima, thermostability, stability versus active detergents, builders and so on. In this respect bacterial or fungal enzymes are preferred, such as bacterial amylases and proteases, and fungal cellulases.

Enzymes are normally incorporated at levels sufficient to provide up to about 5 mg by weight, more typically about 0.01 mg to about 3 mg of active enzyme per gram of the composition. Stated otherwise, the compositions herein will typically comprise from about 0.001 % to about 5 %, preferably 0.01 %-1 % by weight of a commercial enzyme preparation. Protease enzymes are usually present in such commercial preparations at levels sufficient to provide from 0.005 to 0.1 Anson units (AU) of activity per gram of composition.

## Surfactant

10

15

Non-limiting examples of surfactants useful herein 20 typically at levels from about 1 % to about 55 %, by weight, of the treatment fluid and comprise an anionic such as sulphonates, sulphates and ether sulphates or/and a nonionic such as a ethoxy or propoxylated alkyl, fatty 25 acid or alcohol. These include the conventional C11-C18 alkyl benzene sulfonates ("LAS") and primary, branchedchain and random C10-C20 alkyl sulfates ("AS"), the C10-C18 secondary (2,3) alkyl sulfates of the formula  $CH_3$  (CH2)<sub>X</sub> (CHOSO<sub>3</sub>-M<sup>+</sup>)  $CH_3$  and  $CH_3$  (CH<sub>2</sub>)<sub>Y</sub> (CHOSO<sub>3</sub>-M<sup>+</sup>) where x and (y + 1) are integers of at least about 7, 30 preferably at least about 9, and M is a watersolubilising cation, especially sodium, unsaturated

6 -

sulfates such as oleyl sulfate, the C10-C18 alkyl alkoxy sulfates ("AExS"; especially EO 1-7 ethoxy sulfates). C10-C18 alkyl alkoxy carboxylates (especially the EO<sub>1-5</sub> ethoxycarboxylates), the C10-18 glycerol ethers, the C10-C18 alkylpolyglycosides and their corresponding sulfated polyglycosides, and C12-C18 alpha-sulfonated fatty acid esters. Ιf desired, the conventional nonionic amphoteric surfactants such as the C12-C18 ethyoxylates ("AE") including the so-called narrow peaked alkyl ethoxylates and C6-C12 alkyl phenol alkoxylates 10 (especially ethyoxylates and mixed ethoxy/propoxy), C12-C18 betaines and sulfobetaines ("sultaines"), C10-C18 amine oxides, and the like, can also be included in the overall compositions. The C10-C18 N-alkyl polyhydroxy fatty acid amides can also be used. Typical examples include the C12-C18 N-methylglucamides. See WO 92/06154. Other sugar-derived surfactants include the N-alkoxy polyhydroxy fatty acid amides, such as C10-C18 N-(3methoxypropyl) glucamide. The N-propyl through N-hexyl C12-C18 glucamides can be used for low sudsing. C10-C20 20 conventional soaps may also be used. If high sudsing is desired, the branched-chain C10-C16 soaps may be used. Mixtures of anionic and nonionic surfactants especially useful. Other conventional useful anionic, amphoteric, nonionic or cationic surfactants are listed 25 in standard texts.

It will be appreciated that certain textile treatment agents need not be reabsorbed into the patch, such as an insecticidal fluid.

7 -

In carrying out the method of the invention force may be applied manually to the patch, for example by rubbing.

When force is applied the treatment agent exudes from the polymer. When force ceases to be applied to the polymer containing the textile treatment agent the polymer, depending on the polymer selected, may absorb at least a part, preferably a substantial part (greater than 50%) of the textile treatment agent or, if preferred, an 10 insubstantial (less than 50%) or no part of the textile treatment fluid. A consequence or absorption is the possibility that any soil may be taken up into the polymer. A further advantage is that a reduced amount of fluid is left on the textile, which can then dry 15 relatively rapidly. Alternatively the treatment fluid is allowed to remain in the textile material as discussed above.

The present invention also includes within its scope textile treatment compositions which comprise 5 to 99.5% by weight of water, optionally up to 40% by weight of an organic solvent, and at least one ingredient selected from:

25

- 0.1 to 10% by weight of a perfume,
- 0.001 to 1% by weight of an enzyme,
- 0.01 to 5% by weight of an insecticide,
- 0.01 to 5% by weight of an antistatic agent,
- 0.01 to 5% by weight of an antimicrobial agent,
- 0.01 %-1 % by weight of a commercial enzyme preparation,

8 -

0.1 to 20% by weight of a bleach, with or without a bleach activator.
and

0.01 to 55% by weight of a surfactant.

5

10

15

The preferred compositions of the present invention contain from 35 to 90% by weight of water. For use as fragrancing compositions the preferred compositions contain from 0.1 to 2.0% by weight of a perfume; for use as insecticidal compositions the preferred compositions contain from 0.5 to 1.5% by weight of an insecticide; for use as antistatic treatment compositions the preferred compositions contain from 0.3 to 1.0% by weight of an antistatic agent; for use as antimicrobial compositions the preferred compositions contain from 0.3 to 1.0% by weight of an antimicrobial agent; whilst the use as cleansing compositions the compositions contain from 0.2 to 2.0% by weight of a surfactant.

Preferably the polymer is a hydrogel. By the term "hydrogel" as used herein it is meant a natural or synthetic polymeric material which possesses the ability to swell in water. The hydrogel may be water-insoluble or water-soluble. Generally, synthetic hydrogels are formed by polymerizing a hydrophilic monomer in an aqueous solution under conditions where the polymer becomes cross-linked so as to form a three dimensional polymer network. Natural hydrogels are also included, such as alginates and polysaccharides, such as xanthan and locust bean gum.

9 -

Preferably, the hydrogel is a hydrophilic homopolymer or copolymer of acrylic or methacrylic acid, a salt or ester thereof; a homopolymer or copolymer or acrylamide or acrylonitrile, cellulose ether, carboxylated cellulose derivative, polyalkylene oxide or polyurethane. The polymer is cross-linked to a relatively low degree and but for the cross-linking would be essentially water-soluble.

The polymer may include in its structure a polysaccharide such as starch, for example in a graft copolymer.

Particularly preferred polymers of interest as disclosed in WO046319.

The polymer selected may be chosen for a number of reasons:

- i) to retain and release textile treatment fluid;
  - ii) to reabsorb released textile treatment fluid;
  - iii) to provide adhesion to the textile;
     article, by surface tackiness;
  - iv) providing a structural aspect to the patch.

Usually, the polymer has a number of free carboxylic acid groups neutralisable with, for example, an alkali metal ion.

30

25

Preferably the polymer is attached to a backing which can be water-soluble or water-insoluble. The

10 -

backing may be any suitable material formed into a solid, woven or non-woven piece. The function of the backing is to provide structural support to the polymer, allow easy application and removal to the textile article and also to direct application of the fluid into the textile article. In use the pressure is applied to the polymer through the backing to release the treatment agent. Preferably the backing is water impervious to prevent the treatment agent coming into contact with the user and to ensure a generally unidirectional flow of textile treatment fluid from the polymer into the textile.

10

15

20

Ideally the article is wrapped in a liquid impervious wrapping. The wrapping is ideally comprised of one or more peelable or tearable polymer sheets.

The patch may be a one off disposable item or reusable, especially when the polymer reabsorbs the treatment agent when used, or by recharging the polymer with treatment agent.

The patch may be applied to the textile as a liquid which solidifies after application.

The invention is further illustrated by the following non-limiting drawing:

Figure 1 shows a patch with a water impervious backing (1) made of a polymer sheet to which is

11 -

attached a hydrogel (2) containing a surfactant treatment fluid.

5

10

15

20

Figure 2 shows a patch with a water impervious backing (1) made of polymer sheet to which is attached two different hydrogels (2) alternatively along the backing sheet. The first hydrogel contains a treatment fluid containing bleach and the second contains a treatment fluid containing an enzyme.

Ideally the textile treatment agent is dissolved into a fluid. The nature of the fluid is to some extent determined by the treatment undertaken and the properties of the treatment agent. Generally speaking the fluid will be water optionally with an organic solvent such as an alcohol, hydrocarbon or halohydrocarbon; and a surfactant such as anionic, cationic, non-ionic and/or amphoteric surfactant. An organic solvent is preferably included in the compositions of the invention in an amount of from 5 to 50% by weight. The fluid may be in the form of single or multiphase liquid. For the former a co-solvent becomes necessary where the remaining components are immiscible. For the latter, the separate phases may be emulsified optionally with the aid of an emulsifying agent which may be the same as or different from any surfactant present for its detergent function.

12 -

The patch may be any suitable size but for convenience is less than 10cm in length or width. The patch may be dispensed from a roll or strip in which multiple patches are mutually attached via a tear line, ideally found in the external wrapping.

13 -

# Claims

1. A patch comprising:

5

10

- a polymer retaining a textile treatment agent; optionally, a liquid impervious backing attached to the polymer; and, optionally, a liquid impervious external wrapping encasing substantially all of the patch, preferably encasing the entire patch.
- A patch as claimed in claim 1 wherein the textile
  treatment agent is a cleansing fluid, an
  insectidical fluid, a perfumed fluid, an antibiotic
  fluid, an antistatic fluid or a mixture of any
  thereof.
- 3. A patch as claimed in claim 1 or claim 2 wherein the polymer is a hydrogel.
  - 4. A method for the treatment of a textile which method comprises the step of applying to the textile a patch, as defined in any preceding claim.

25

5. A method for the treatment of a textile as claimed in claim 4 which comprises the additional step of applying force to the patch to deform the polymer and release the fabric treatment agent.

30

6. A method for the treatment of a textile as claimed in claim 4 which comprises the additional step of

14 -


removing the force from the patch to allow the polymer to absorb the treatment agent and/or the soil into the polymer.


5 7. A method for the treatment of a textile as claimed in any claim from 4 to 6 which comprises the additional step of immersing the textile item into a wash liquid into which the treatment agent and/or the patch will dissolve or disperse.

10

8. A method for the treatment of a textile as claimed in any claim from 4 to 6 which comprises the additional step of removing the patch from the textile article.

- 9. A method as claimed in claim 5 in which the force is applied to the composition through the fingers of the user.
- 20 10. A method is claimed in any claim from 4 to 9 wherein the patch is applied to the textile as a liquid and then solidifies.





### INTERNATIONAL SEARCH REPORT

In Jonal Application No PCT/GB 02/02613

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C11D17/04 C11D11/00

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
Х	US 6 228 389 B1 (MCCUE KAREN ANN ET AL) 8 May 2001 (2001-05-08) column 2, line 5 -column 3, line 28 examples	1~3		
X	US 4 189 395 A (BLAND FREDERICK H) 19 February 1980 (1980-02-19) claims 1-11; examples	1-3		
X	WO 97 32004 A (PROCTER & GAMBLE) 4 September 1997 (1997-09-04) page 3, line 31 -page 4, line 29 page 8, line 4 -page 9, line 32 claims 1-13,18-21; figure 1; example IV	1-6,8,10		

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
<ul> <li>Special categories of cited documents:</li> <li>"A" document defining the general state of the art which is not considered to be of particular relevance</li> <li>"E" earlier document but published on or after the international filing date</li> <li>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</li> <li>"O" document referring to an oral disclosure, use, exhibition or other means</li> <li>"P" document published prior to the international filing date but later than the priority date claimed</li> </ul>	<ul> <li>*T* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</li> <li>*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</li> <li>*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</li> <li>*&amp;* document member of the same patent family</li> </ul>
Date of the actual completion of the international search  2 October 2002	Date of mailing of the international search report  14/10/2002
Name and mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL – 2280 HV Rijswijk  Tel. (+31–70) 340–2040, Tx. 31 651 epo nl,  Fax: (+31–70) 340–3016	Authorized officer  Loloiu, C

## INTERNATIONAL SEARCH REPORT

In ional Application No
PCT/GB 02/02613

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	707/48 02/02013
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 257 966 A (RECKITT & COLMANN PROD LTD) 2 March 1988 (1988-03-02) claims 1-3,7,8; examples page 2, line 35 - line 59	1-6,8-10
A	EP 0 056 529 A (JOEL & ARONOFF UK LTD) 28 July 1982 (1982-07-28) claims	4
A	WO 00 26329 A (PROCTER&GAMBLE) 11 May 2000 (2000-05-11) page 13, line 14-16 page 14, line 9-20 claims 5-9; examples	1-10
Ρ,Χ	WO 02 11604 A ( PROCTER&GAMBLE) 14 February 2002 (2002-02-14) page 6, line 10-25; claims examples 1-6	1-6,8,9
P,X	EP 1 129 700 A (L'OREAL) 5 September 2001 (2001-09-05) claims 1-26; figures 1-10,14-16	1-3

# INTERNATIONAL SEARCH REPORT

Information on patent family members

In tional Application No PCT/GB 02/02613

			— <del></del> т				
	atent document I in search report		Publication date		Patent family member(s)		Publication date
US	6228389	В1	08-05-2001	AU	747015 B	32	09-05-2002
				ΑU	5940098 A	١	08-10-1998
				CA	2233371 A	١1	02-10-1998
				ΕP	0869216 A		07-10-1998
				GB	2323784 A		07-10-1998
US	4189395		19-02-1980	 AU	522363 B	 32	03-06-1982
-	.103030	• •	15 02 1500	ΑÜ	4347479 A		26-07-1979
				BR	7900320 A		14-08-1979
				DE	2902130 A		26-07-1979
				ES	476906 A		16-09-1979
				FR	2414900 A		17-08-1979
				GB	2012802 A		01-08-1979
				JP	54110657 A		30-08-1979
				NZ	189425 A		12-09-1980
							26-03-1980
				_ZA <del></del> -	7900204 A	\ 	70-03-1980
WO	9732004	Α	04-09-1997	BR	9707779 A		27-07-1999
				DE	69709707 D		21-02-2002
				DE	69709707 T		08-08-2002
				EP	0885291 A		23-12-1998
				JP	3105263 B		30-10-2000
				JP	11505569 T		21-05-1999
				WO	9732004 A		04-09-1997
				US 	5840675 A	\ 	24-11-1998
EP	0257966	Α	02-03-1988	ΑU	7735787 A		03-03-1988
				BR	8704393 A		19 <b>-</b> 04-1988
				DK	447487 A		29-02-1988
				EΡ	0257966 A		02-03-1988
				FΙ	873738 A		29-02-1988
				GB	2194972 A		23-03-1988
				JP	63066383 A		25-03-1988
				NO	873619 A		29-02-1988
				PT	85613 A		01-09-1987
				US	4802997 A		07-02-1989
				ZΑ	8706346 A		27-04-1988
				ZW	15987 A	1	18-11-1987
EP	0056529	Α	28-07-1982	EP	0056529 A		28-07-1982
				GB	2090193 A		07-07-1982
WO	0026329	Α	11-05-2000	AU	1519700 A	. <b></b>	22-05-2000
		- <b>,</b>		WO	0026329 A		11-05-2000
WO	0211604	Α	14-02-2002	WO	0211603 A	\1	14-02-2002
			<del></del>	AU	1358701 A		18-02-2002
				AU	6759100 A		18-02-2002
				WO	0211604 A		14-02-2002
				ÜS	2002077266 A		20-06-2002
EP	1129700	Α	05-09-2001	FR	2804870 A	 \1	17-08-2001
		• •	00 00 2001	BR	0100564 A		04-12-2001
				CN	1309940 A		29-08-2001
				EP	1129700 A		05-09-2001
					/ / / / / / / / / / / / / / / / / /		
					2001277403 A	١	09-10-2001
				JP US	2001277403 A 2001028894 A		09-10-2001 11-10-2001